L Number	Hits	Search Text	DB	Time stamp
1	3587		USPAT;	2004/05/18 11:55
-			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	l
			IBM_TDB	0004/05/10 11 15
2	28101	select\$ with account\$	USPAT;	2004/05/18 11:40
		·	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT; IBM TDB	
	728	(account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:55
3	128	with accounts)	US-PGPUB;	=====================================
		with accountry,	EPO; JPO;	
			DERWENT;	
[			IBM TDB	
4	34	((account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:56
		with account\$)) and (batch with	US-PGPUB;	l i
		processing)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
6	73		USPAT;	2004/05/18 11:41
		with account\$)) and (batch with process\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
.			IBM TDB	
7	59	(((account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:57
[ '	29	with account()) and (batch with	US-PGPUB;	
		process\$3)) and (record\$3 with account\$)	EPO; JPO;	
		production, and theorem.	DERWENT;	
.			IBM_TDB	
8 .	6		USPĀT;	2004/05/18 11:57
		restrict\$) and (select\$ with account\$))	US-PGPUB;	
		and (batch with process\$3)) and (record\$3	EPO; JPO;	
.		with account\$))	DERWENT;	
	<i>~</i> = ^ +		IBM_TDB USPAT;	2004/05/18 11:56
9	6521	account\$ with securit\$	USPAT; US-PGPUB;	2004/05/16 11:56
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
10	1668	(account\$ with securit\$) and (select\$ with	USPAT;	2004/05/18 11:55
'		account\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/10 11 7
11	11614	account\$ with (lock or securit\$ author\$6)	USPAT;	2004/05/18 11:56
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	]
12	248	(account\$ with (lock or securit\$	USPAT;	2004/05/18 11:56
12	240	author\$6)) and (select\$ with account\$) and	US-PGPUB;	-101, 15, 15
		(batch with processing)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
13	177	((account\$ with (lock or securit\$	USPAT;	2004/05/18 11:57
1		author\$6)) and (select\$ with account\$) and	US-PGPUB;	
		(batch with processing)) and (record\$3	EPO; JPO;	]
		with account\$)	DERWENT;	1
			IBM_TDB	0004/05/20 25 25
14	37		USPAT;	2004/05/18 15:02
		securit\$ author\$6)) and (select\$ with	US-PGPUB;	
]		<pre>account\$) and (batch with processing)) and (record\$3 with account\$))</pre>	EPO; JPO; DERWENT;	
]		(Tecordas with accountal)	IBM TDB	1
15	5	(@pd<20000330 and (((account\$ with (lock	USPAT;	2004/05/18 12:00
10		or securit\$ author\$6)) and (select\$ with	US-PGPUB;	
1 1		account\$) and (batch with processing)) and	EPO; JPO;	
		(record\$3 with account\$))) and (control	DERWENT;	
1 I		with cycle)	IBM TDB	
L	L			•

		1 10 1 1000000000 - 1 1//	UCDAM.	2004/05/19 14.20
16	12	(@pd<20000330 and (((account\$ with (lock	USPAT;	2004/05/18 14:30
		or securit\$ author\$6)) and (select\$ with	US-PGPUB;	
		account\$) and (batch with processing)) and	EPO; JPO;	
		(record\$3 with account\$))) and (month\$ and	DERWENT;	
1	_	week\$ and year\$)	IBM_TDB	0004/05/10 14 04
17	2	5956700.pn.	USPAT;	2004/05/18 14:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/05/10 14 05
18	0	5956700.pn. and ((delet\$ or remov\$6) with	USPAT;	2004/05/18 14:25
		account\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		5056500	IBM_TDB	2004/05/18 14:25
19	1	5956700.pn. and(delet\$ or remov\$6)	USPAT;	2004/05/18 14:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(0. 1.000000000) (((0.00000000)) (1.000000000000000000000000000000000000	IBM_TDB	2004/05/10 14:41
20	12	'**	USPAT;	2004/05/18 14:41
		or securit\$ author\$6)) and (select\$ with	US-PGPUB;	
		account\$) and (batch with processing)) and	EPO; JPO;	
		(record\$3 with account\$))) and (month\$ and	DERWENT;	
		week\$ and year\$) and (delet\$ or remov\$ or	IBM_TDB	
		clear\$ or cancel)	порат.	2004/05/10 14:50
22	11		USPAT;	2004/05/18 14:52
1		or securit\$ author\$6)) and (select\$ with	US-PGPUB;	
		account\$) and (batch with processing)) and	EPO; JPO;	
		(record\$3 with account\$))) and (prevent\$	DERWENT;	
		with access\$\$)	IBM_TDB	2004/05/10 14:52
23	2	6154879.pn.	USPAT;	2004/05/18 14:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,	(0-1-0000000000000000000000000000000000	IBM TDB	2004/05/18 15:01
21	7	(@pd<20000330 and (((account\$ with (lock	USPAT;	2004/05/18 15:01
		or securit\$ author\$6)) and (select\$ with	US-PGPUB;	
		account\$) and (batch with processing)) and	EPO; JPO; DERWENT;	
		(record\$3 with account\$))) and (account\$	IBM TDB	
24	86	with password\$) statement\$ and delet\$ and (batch with	USPAT;	2004/05/18 15:02
24	00	process) and (record\$ with account\$) and	US-PGPUB;	2004/03/10 13:02
		(account\$ with password\$)	EPO; JPO;	
		(accounts with passwords)	DERWENT;	
			IBM TDB	
25	15	<pre>@pd&lt;20000330 and (statement\$ and delet\$</pre>	USPAT;	2004/05/18 15:08
	13	and (batch with process) and (record\$ with	US-PGPUB;	2004,00,10 10.00
		account() and (account() with password())	EPO; JPO;	
		accountry and (accountry with passwordy)	DERWENT;	
			IBM TDB	
26	2	4958291.pn.	USPAT;	2004/05/18 15:07
"	2	1330231.pm.	US-PGPUB;	2001,00,10 10.07
•			EPO; JPO;	
			DERWENT;	
'		·	IBM TDB	
27	8	(prevent\$ with access with delet\$) and	USPAT;	2004/05/18 15:11
[ - '	8	(select\$ with accounts)	US-PGPUB;	2001/00/10 10.11
		(SCISCLY WICH ACCOUNTS)	EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
28	1	<pre>@pd&lt;20000330 and ((prevent\$ with access</pre>	USPAT;	2004/05/18 15:11
*		with delet\$) and (select\$ with accounts))	US-PGPUB;	
		with defect, and (select) with accounts))	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
29	439	( access with delet\$) and (select\$ with	USPAT;	2004/05/18 15:11
-	439	accounts)	US-PGPUB;	2001,00,10 10.11
, ,		accountes/	EPO; JPO;	
]	İ		DERWENT;	
			IBM TDB	
L			TOU LOD	L—————————————————————————————————————

				0004/05/10 15 11
30	153	(( access with delet\$) and (select\$ with	USPAT;	2004/05/18 15:11
		accounts)) and (prevent\$ with access)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
31	9	<pre>@pd&lt;20000330 and ((( access with delet\$)</pre>	USPAT;	2004/05/18 16:05
31		and (select\$ with accounts)) and (prevent\$	US-PGPUB;	
		with access)) and password	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
32	62	1 '	USPAT;	2004/05/18 15:15
		accounts) and password and (delet\$ or	US-PGPUB;	
		remov\$)	EPO; JPO;	
			DERWENT; IBM TDB	
33	5	<pre>@pd&lt;20000330 and ((bill\$3 with statement)</pre>	USPAT;	2004/05/18 16:02
33		and (select with accounts) and password	US-PGPUB;	2001, 00, 20 20102
	1	and (delet\$ or remov\$))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
34	43	(prevent\$ with access) and (select\$ with	USPAT;	2004/05/18 16:08
		accounts) and password and (control with	US-PGPUB;	
		cycle) and (batch with process\$4)	EPO; JPO; DERWENT;	
!			IBM TDB	•
35	3	<pre>@pd&lt;20000330 and ((prevent\$ with access)</pre>	USPAT;	2004/05/18 16:06
33		and (select\$ with accounts) and password	US-PGPUB;	
j		and (control with cycle) and (batch with	EPO; JPO;	
		process\$4))	DERWENT;	
			IBM_TDB	
36	55		USPAT;	2004/05/18 16:06
		accounts) and password and (month\$ and	US-PGPUB;	
		year\$ and week\$) and (batch with	EPO; JPO; DERWENT;	
		process\$4)	IBM TDB	
37	4	@pd<20000330 and ((prevent\$ with access)	USPĀT;	2004/05/18 16:09
	_	and (select\$ with accounts) and password	US-PGPUB;	
		and (month\$ and year\$ and week\$) and	EPO; JPO;	
	1	(batch with process\$4))	DERWENT;	
			IBM_TDB	2004/05/18 16:09
38	61	(prevent\$ with access) and (accounts) and password and (control with cycle) and	USPAT; US-PGPUB;	2004/03/18 16:09
		(batch with process\$4)	EPO; JPO;	
		(bacch with processy)	DERWENT;	
			IBM TDB	
39	4	<pre>@pd&lt;20000330 and ((prevent\$ with access)</pre>	USPAT;	2004/05/18 16:10
		and (accounts) and password and (control	US-PGPUB;	
1		with cycle) and (batch with process\$4))	EPO; JPO;	
			DERWENT;	
40	67	(password\$ with access) and ( accounts)	IBM_TDB USPAT;	2004/05/18 16:09
•	"	and password and (control with cycle) and	US-PGPUB;	2004,00,10 10.09
		(batch with process\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
41	48	(password\$ with access) and ( select\$ with	USPAT;	2004/05/18 16:09
		accounts) and password and (control with	US-PGPUB;	
	1	cycle) and (batch with process\$4)	EPO; JPO;	
·			DERWENT; IBM TDB	
42	7	<pre>@pd&lt;20000330 and ((password\$ with access)</pre>	USPAT;	2004/05/18 16:10
	l ·	and (select\$ with accounts) and password	US-PGPUB;	-555, 55, 25 25, 20
		and (control with cycle) and (batch with	EPO; JPO;	
		process\$4))	DERWENT;	
_	[		IBM_TDB	
43	2	5940813.pn.	USPAT;	2004/05/18 16:22
	1		US-PGPUB;	
	1		EPO; JPO; DERWENT;	
ĺ			IBM TDB	
	.1	<u> </u>		<u> </u>

Search History 5/18/04 5:02:51 PM Page 3

44	2	6108641.pn.	USPAT;	2004/05/18 16:22
**	~ .	02000.2	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	•
	546	(restrict\$ with access\$) and account\$ and	USPAT;	2004/05/17 14:32
-	346	(batch with process\$3)	US-PGPUB;	2004,00,1. 11102
		(batch with processys)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
			USPAT;	2004/05/17 14:32
-	236			2004/03/17 14:32
		(batch with process\$3)) and (record\$3 with	US-PGPUB;	
		account\$)	EPO; JPO;	i
			DERWENT;	
			IBM_TDB	
_	122		USPAT;	2004/05/17 14:33
		and (batch with process\$3)) and (record\$3	US-PGPUB;	
		with account\$)) and (select\$ with	EPO; JPO;	
		account\$)	DERWENT;	
			IBM TDB	
l <u>-</u>	25	((((restrict\$ with access\$) and account\$	USPĀT;	2004/05/17 14:43
		and (batch with process\$3)) and (record\$3	US-PGPUB;	
		with account\$)) and (select\$ with	EPO; JPO;	
		account\$)) and (remov\$ with account\$)	DERWENT;	
	ŀ	accountry, and (zomery warm descenter).	IBM TDB	
_	19	@pd<20000330 and ((((restrict\$ with	USPAT;	2004/05/17 14:53
	1	access\$) and account\$ and (batch with	US-PGPUB;	
İ		process\$3)) and (record\$3 with account\$))	EPO; JPO;	
		and (select\$ with account\$))	DERWENT;	
		and (selects with accounts))	IBM TDB	
	18	<pre>@pd&lt;20000330 and (((restrict\$ with</pre>	USPAT;	2004/05/18 11:41
_	10	access\$) and account\$ and (batch with	US-PGPUB;	2004/05/10 11.41
		process\$3)) and (record\$3 with account\$))	EPO; JPO;	
			DERWENT;	
		and (month\$2 with account\$)		
		500000	IBM_TDB USPAT;	2004/05/17 16:00
-	2	6023705.pn.		2004/05/1/ 16:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5956700.pn.	USPAT;	2004/05/17 16:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
·			IBM TDB	